



3RR SERIES Removable Shock Rack Transport



- 미국 국방규격 최신 최상위 규격/MIL-STD 810G 이상 지원
- 항공운송협회 ATA 300 Category 1 요구사항 이상 대응
- 기본형 장착하중 최대 68Kg (내부 레일 옵션변경으로 최대 136 Kg 까지 실장)
- 표준 19인치 랙마운트를 위한 ANSI/EIA-310-C
- 표준랙 치수(Width)의 24" 인치 슬라이딩 레일
- 레일랙 사각홀에 적합한 #10-32 US 기준 또는 국제기준의 6mm 표준 케이지 너트
- 2인치 전면부 커버(Lid) 및 5인치 후면부 커버, 이동 용이한 표준 하단바퀴 (주문형 옵션가능)
- SKB의 요철형 Roto-Molded 커버형상으로 극한의 충격방지 및 견고성 유지
- 견고한 적치 스택킹을 위한 격자살 구조 및 타사 전술랙과의 적치용이성 제공
- 내부 스테인리스 구조물을 블랙파우더 코팅처리하여 열성변화에 의한 이격 방지
- 8개의 편리한 손잡이 및 전·후면부 커버 손잡이 장착 (표준)
- 내압 조절을 위한 자동압력 조절기 기본 장착(표준)
- 케이스커플링 스트립 장착 (스택 및 적치안정성)

Case Specifications

All Standard depths - front to rear rail: 24"

PART#	LID DEPTH		RACK UNITS	RACK HEIGHT
	FRONT	REAR		
3RR-3U24-25B	2" / 5.1 cm	5" / 12.7cm	3 space	5.5" / 14 cm
3RR-4U24-25B	2" / 5.1 cm	5" / 12.7cm	4 space	7" / 17.8 cm
3RR-5U24-25B	2" / 5.1 cm	5" / 12.7cm	5 space	8.75" / 22.2cm
3RR-7U24-25B	2" / 5.1 cm	5" / 12.7cm	7 space	12.25" / 31.1cm
3RR-9U24-25B	2" / 5.1 cm	5" / 12.7cm	9 space	15.75" / 40cm
3RR-11U24-25B	2" / 5.1 cm	5" / 12.7cm	11 space	19.25" / 48.9cm
3RR-14U24-25B	2" / 5.1 cm	5" / 12.7cm	14 space	24.5" / 62.2cm



Authorized Supplier / 국내 공식공급원

NEXTURECOM
T 070 8774 7450 M 010 6210 1385 E hcyoo@nexturecom.com

www.skbcases.com

MUSIC PRODUCTS 800.410.2024

SPORTS PRODUCTS 800.654.5992

INDUSTRIAL PRODUCTS 800.783.0087



"Million Mile Warranty"

YOU BREAK IT. . WE REPLACE IT, FOR FREE, FOR LIFE !



3I SERIES

**MIL-STANDARD
UTILITY CASE**

3I-2011-7B-C



3I-1610-5B-C



3I-1813-5B-D



3I-1209-4B-E



MIL-STANDARD, SUBMERSIBLE, MULTI-FUNCTIONAL EQUIPMENT TRANSPORT SERIES

FEATURES INCLUDE :

- ultra high-strength polypropylene copolymer resin
- gasketed, water and dust-tight submersible design (MIL-C-4150J)
- resistant to UV, solvents, corrosion, fungus and impact damage (MIL-STD-810F)
- continuous molded-in hinge with stainless steel pin
- patent pending "trigger release" latch system
- comfortable, snap-down, rubber over-molded handle
- automatic ambient pressure equalization valve (MIL-STD-648C and IP67)
- cases stack securely and accommodate padlocks

SUGGESTED APPLICATIONS

- camera, video and portable GPS gear
- music recording and playback equipment
- satellite phones and radios
- police and military gear
- boat gear, fishing reels
- fire, rescue and first aid equipment
- portable electronics



3I-2015-10B

Part #	Inside L X W X H	LID depth	BASE depth	pull-handle wheels
3I-0907-4B*	9 1/4" x 7 1/8" x 4 1/8"	1 3/16"	2 15/16"	
3I-0907-6B*	9 7/8" x 7" x 6 1/8"	1 3/16"	4 15/16"	
3I-1209-4B*	12" x 9" x 4 1/2"	1 1/2"	3"	
3I-1610-5B	16" x 10" x 5 1/2"	2"	3 1/2"	
3I-1611-6B	16 7/8" x 11 3/16" x 6"	1 3/4"	4 1/4"	
3I-1813-5B*	18 1/2" x 13" x 4 3/4"	1 1/2"	3 1/4"	
3I-1813-5B-N**	18 1/2" x 13" x 4 3/4"	1 1/2"	3 1/4"	
3I-1813-7B*	18 1/2" x 13" x 7"	1 1/2"	5 1/2"	
3I-1914-8B*	19" x 14 1/4" x 8"	2"	6"	✗
3I-1914-8BT**	19" x 14 1/4" x 8"	2"	6"	✗
3I-2011-7B	20 1/2" x 11 1/2" x 7 1/2"	2"	5 1/2"	✗
3I-2011-8B*	20 1/2" x 11 1/2" x 8"	2"	6"	
3I-2015-7B	20 1/2" x 15 1/2" x 7 1/2"	2"	5 1/2"	
3I-2015-10B	20 1/2" x 15 1/2" x 10"	2"	8"	✗

* BUILT IN TSA TRIGGER LATCHES STANDARD

** ACCEPTS TSA TRIGGER LATCHES AVAILABLE SEPARATELY

Product Code Breakdown

3I-2011 - 7B-C

■ INJECTION SERIES

■ INT. Length / Width

■ INT. Total Depth

■ COLOR (black)

■ INTERIOR (cubed foam)

INTERIORS

E - Empty

C - Cubed Foam

L - Layered Foam

D - Padded Dividers

N - Laptop Interior



www.skbcases.com

Authorized Supplier / 국내 공식공급원

NEXTURECOM

T 070 8774 7450 M 010 6210 1385 E hcyoo@nexturecom.com



3R SERIES



"Million Mile Warranty"

YOU BREAK IT... WE REPLACE IT, FOR FREE, FOR LIFE !

MIL-STANDARD UTILITY CASE



SEE REFERENCE
CHART FOR MODELS
WITH AVAILABLE
'SLIDE-MOUNT'
CASTER KITS

3R2222-20B



3R4417-8B

3R2222-12B-C



SEE REFERENCE
CHART FOR MODEL
NUMBERS EQUIPPED
WITH PULL-HANDLES
AND WHEELS

FEATURES INCLUDE :

- Superior rotationally molded strength and ergonomic design.
- Impenetrable, yet lightweight LLDPE shell for maximum impact resistance.
- UV, solvent, corrosion and fungus resistant (MIL-STD-810F).
- Complete gasket seal makes these cases absolutely watertight (MIL-C-4150J).
- Automatic ambient pressure equalization valve (MIL-STD-648C & IP67).
- Black powder coated stainless steel hardware prevents rusting.
- Comfortable, spring-loaded, rubber over-molded handles.
- These cases are designed and built to withstand levels of punishment in excess of all ATA and most industrial and military shipping specifications.

Part #	Inside L X W X H	LID depth	BASE depth	CASTERS AND FOAM INSERT OPTIONS				
				handle and wheels	caster kit*	padded dividers	cubed foam	layered foam
3R1919-14B	19" x 19" x 14-1/2"	3"	11 3/8"	X			X	
3R2216-15B-E	22" x 16" x 15"	3"	12"					
3R2217-10B	22" x 17" x 10-1/2"	3"	7-1/2"	X		X	X	
3R2222-12B	22" x 22" x 12"	3"	9"	X		X	X	
3R2222-20B	22" x 22" x 20"	3-1/2"	16-1/2"		X		X	
3R2423-17B	24" x 23" x 17"	3-1/2"	13-1/2"	X			X	
3R2424-24B	24" x 24" x 24"	3-1/2"	20-1/2"		X			X
3R2727-18B	27" x 27" x 18"	3-1/2"	14-1/2"		X			X
3R2727-27B	27" x 27" x 27"	3-1/2"	23-1/2"		X			X
3R2817-10B***	28-3/4" x 17-1/2" x 10-5/8"	2"	8-5/8"	X			X	
3R3025-15B	30" x 25" x 15"	3-1/2"	11-1/2"	X			X	
3R3214-15B	32" x 14-1/2" x 15-3/4"	3-1/4"	12-1/2"	X			X	
3R4024-18B	40" x 24" x 18"	3-1/2"	14-1/2"		X			X
3R4024-24B	40" x 24" x 24"	3-1/2"	20-1/2"		X			X
3R4417-8B-EW**	44-1/4" x 17-1/2" x 8"	3-1/8"	4-7/8"	X				
3R4530-24B-E	45" x 30" x 24"	3-1/2"	20-1/2"		X			
3R4909-5B-E**	49-1/2" x 9" x 5-1/2"	2-1/4"	3-1/4"					
3R5030-24B-E	50" x 30" x 24"	3-1/2"	20-1/2"		X			
3R5212-7B-EW**	52-1/2" x 12-1/8" x 8"	3-1/8"	4-7/8"	X				

* 3SKB-CAST1 CASTER PLATE & WHEEL KIT AVAILABLE SEPARATELY.

** BUILT-IN TSA TRIGGER LATCHES STANDARD; ALSO OFFERED AS 2R SERIES CASES IN BLACK, OLIVE DRAB OR TAN WITH CONVULATED FOAM INSERTS.

*** BUILT-IN TSA TRIGGER LATCHES STANDARD

3R 2217-10B

- ROTO SERIES
- INT. Length / Width
- INT. Total Depth
- COLOR (black)



www.skbcases.com

Authorized Supplier / 국내 공식공급원

NEXTURECOM

T 070 8774 7450 M 010 6210 1385 E hcyoo@nexturecom.com



ROLLING SHOCKS



"Million Mile Warranty"

YOU BREAK IT. . . WE REPLACE IT, FOR FREE, FOR LIFE !

20" ROLLING RACK CASES WITH ELASTOMER SHOCKS



SKB's new Rolling Roto Shock Racks feature a (20" deep) roto molded tough shell with an integrally molded valance that eliminates the need for a metal valance on the outside of the case.

FEATURES INCLUDE :

- Standard 19" rack width per EIA standards
- Rack depth front to rear rail is 20" and each lid is 2-1/4" deep
- Threaded steel rails and aluminum cross components forming an "H" shaped rigid configuration
- Recessed TSA trigger release latches allow for opening while stacked
- Secure stacking design allows full use of doors while racks are stacked together
- 8 elastomeric shocks with a load range of from 40 lbs. to 150 lbs.)
- Load range may be increased up to 300 lbs. with optional additional HM-245 elastomeric shocks (see website for details)
- Gasket sealed front and rear doors
- Ambient pressure relief valve
- Sliding retractable handle
- Oversized snap-down handles on each side of the case
- Convenient roller blade wheels
- Cases stocked in Black
- Custom colors available (minimum quantities apply)

Standard dimensions -
front to rear rail: 20"

Part #	Rack Units	Height	Lid Depth
3SKB-R04U20W	4 space	7"	2-1/4"
3SKB-R06U20W	6 space	10-1/2"	2-1/4"
3SKB-R08U20W	8 space	14"	3-1/4"
3SKB-R10U20W	10 space	17-1/2"	3-1/4"
3SKB-R12U20W	12 space	21"	3-1/4"

* - Available Summer 2008



elastomers



relief valves



www.skbcases.com

Authorized Supplier / 국내 공식공급원

NEXTURECOM

T 070 8774 7450 M 010 6210 1385 E hcyoo@nexturecom.com



"Million Mile Warranty"

YOU BREAK IT. . . WE REPLACE IT, FOR FREE, FOR LIFE !



20" SHOCKS


20" RACK CASES WITH ELASTOMER SHOCKS



SKB's new Roto Shock Racks feature a (20" deep) roto molded tough shell with an integrally molded valance that eliminates the need for a metal valance on the outside of the case.

FEATURES INCLUDE :

- Standard 19" rack width per EIA standards.
- Redesigned frame with threaded steel rails and aluminum cross components forming an "H" shaped rigid configuration.
- Standard rack depth front to rear rail is 20".
- Front and rear doors are fitted with rubber gaskets for water resistant protection.
- Recessed heavy-duty spring loaded twist latches allow these cases to meet most ATA and military specifications.



Molded-in handles and secure stackability.

AVAILABLE SIZES :

All Standard depths - front to rear rail: 20"

Part #	Lid Depth	Rack Units	Height
1SKB-R904U20	2-1/4"	4 space	7" High
1SKB-R906U20	2-1/4"	6 space	10-1/2" High
1SKB-R908U20	3-1/4"	8 space	14" High
1SKB-R910U20	3-1/4"	10 space	17-1/2" High
1SKB-R912U20	3-1/4"	12 space	21" High
1SKB-R914U20	3-1/4"	14 space	24-1/2" High
1SKB-R916U20	3-1/4"	16 space	28" High
1SKB-1916	Caster Cart		

- Come standard with 8 each HM-245 elastomeric, high damping, wide temperature range shock mounts with a load range of 40 to 150 lbs.
- Additional or stiffer shock mounts may be ordered from the factory and are easily field-installed (call for details & availability).

NOTE: *These sizes are not designed to accept additional elastomer shock absorbers.

- Easy-grip molded handles.
- Molded-in lugs allow all sizes within the series as well as the caster cart to stack securely.



www.skbcases.com

Authorized Supplier / 국내 공식공급원

NEXTURECOM

T 070 8774 7450 M 010 6210 1385 E hcyoo@nexturecom.com



24" SHOCKS




"Million Mile Warranty"

YOU BREAK IT... WE REPLACE IT, FOR FREE, FOR LIFE!

24" RACK CASES WITH ELASTOMER SHOCKS



Both lids can be completely removed and re-attached simply and quickly.



Slide Mount Casters with 'spring-out' Position Stops Included

3SKB-R916U24



SKB's new Roto Shock Racks feature a (24" deep) roto molded tough shell with an integrally molded valance that eliminates the need for a metal valance on the outside of the case.


FEATURES INCLUDE :

- Standard 19" rack width per EIA standards.
- Standard rack depth front to rear rail is 24" and each lid is 4.5" deep.
- Redesigned frame with threaded steel rails and aluminum cross components forming an "H" shaped rigid configuration.
- Unique "plug" style lid sealing system. Lids penetrate the body with an approximate 1" molded-in protrusion that provides outstanding sealing and anti-shear properties.
- Patent-pending compound hinge system allows the lids to swing out 270° and rest along the sides of the case or easily removed and reinstalled in seconds.
- Front and rear doors are fitted with rubber gaskets for water resistant protection.
- Recessed heavy-duty twist latches allow these cases to meet most ATA and military specifications.
- Stacks securely with wheels on or off and this revolutionary design also allows for both lids to open completely while cases are stacked.
- All sizes come standard with 8 each HM-245 elastomeric, high damping, wide temperature range shock mounts with a load range of 40 to 150 lbs.
- Additional or stiffer shock mounts may be ordered from the factory and are easily field-installed (call for details & availability).
- Standard high quality slide-in/out locking swivel 4" casters rated at 1,200 lbs.
- Automatic ambient pressure equalization valve (MIL-STD-648C)
- Black powder coated stainless steel key-lockable latches.
- Comfortable, spring-loaded, rubber over-molded handles.

Standard dimensions -
front to rear rail: 24"

Part #	Rack Units	Height	Lid Depth
3SKB-R904U24	4 space	7"	4-1/2"
3SKB-R906U24	6 space	10-1/2"	4-1/2"
3SKB-R908U24	8 space	14"	4-1/2"
3SKB-R910U24	10 space	17-1/2"	4-1/2"
3SKB-R912U24	12 space	21"	4-1/2"
3SKB-R914U24	14 space	24-1/2"	4-1/2"
3SKB-R916U24	16 space	28"	4-1/2"

SKB Compound hinge technology allows 270 door swing range even when cases are in a stacked position



relief valves



elastomers



3SKB-R916U24



www.skbcases.com

Authorized Supplier / 국내 공식공급원

NEXTURECOM

T 070 8774 7450 M 010 6210 1385 E hcyoo@nexturecom.com




28" SHOCKS



"Million Mile Warranty"

YOU BREAK IT. . . WE REPLACE IT, FOR FREE, FOR LIFE !

28" RACK CASES
WITH
ELASTOMER
SHOCKS



Slide Mount Casters with
'spring-out' Position Stops



3SKB-R908U28

SKB's new Roto Shock Racks feature a 29 1/4" deep design and are equipped with standard square hole rack plates and includes the SKB ARCS System which accepts optional Rail Plate Kits of 10-32 tapped or 5/32" round (0.183") through holes.

FEATURES INCLUDE :

- Standard 19" rack width per EIA standards.
- Standard rack depth front to rear rail is 29 1/4" and each lid is 4 1/2" deep.
- Standard with square rackmounting holes for cage nuts (not included) and aluminum cross components forming an "H" shaped rigid configuration.
- Easily adaptable to 10-32 tapped or 5/32" round (0.183") through holes.
- Unique "plug" style lid sealing system. Lids penetrate the body with an approximate 1" molded-in protrusion that provides outstanding sealing and anti-shear properties.
- Patent-pending compound hinge system allows the lids to swing out 270° and rest along the sides of the case or be easily removed and reinstalled in seconds.
- Front and rear doors are fitted with rubber gaskets for water resistant protection.
- Recessed heavy-duty twist latches allow these cases to meet most ATA and military specifications.
- Stacks securely with wheels on or off and this revolutionary design also allows for both lids to open completely while cases are stacked.
- All sizes come standard with 8 each HM-245 elastomeric, high damping, wide temperature range shock mounts with a load range of 40 to 150 lbs.
- Additional or stiffer shock mounts may be ordered from the factory and are easily field-installed.
- Standard high quality slide-in/out locking swivel 4" casters rated at 1,200 lbs.
- Automatic ambient pressure equalization valve (MIL-STD-648C).
- Black powder coated stainless steel key-lockable latches.
- Comfortable, spring-loaded, rubber over-molded handles.

Standard dimensions -
front to rear rail: 29 1/4"

Part #	Rack Units	Height	Lid Depth
3SKB-R904U28	4 space	7"	4-1/2"
3SKB-R906U28	6 space	10-1/2"	4-1/2"
3SKB-R908U28	8 space	14"	4-1/2"
3SKB-R910U28	10 space	17-1/2"	4-1/2"



Patent Pending



www.skbcases.com



28 3/4 inch ARCS equipped
Shockrack with front
and rear lids opened.
Lids are fully
removeable.

Authorized Supplier / 국내 공식공급원

NEXTURECOM

T 070 8774 7450 M 010 6210 1385 E hcyou@nexturecom.com



"Million Mile Warranty"

YOU BREAK IT... WE REPLACE IT, FOR FREE, FOR LIFE!



30" SHOCKS

30" RACK CASES WITH ELASTOMER SHOCKS



Slide Mount Casters with
'spring-out' Position Stops



SKB's new Roto Shock Racks feature a (30" deep) roto molded tough shell with an integrally molded valance that eliminates the need for a metal valance on the outside of the case.

FEATURES INCLUDE :

- Standard 19" rack width per EIA standards.
- Standard rack depth front to rear rail is 30" and each lid is 4.5" deep.
- Redesigned frame with threaded steel rails and aluminum cross components forming an "H" shaped rigid configuration.
- Unique "plug" style lid sealing system. Lids penetrate the body with an approximate 1" molded-in protrusion that provides outstanding sealing and anti-shear properties.
- Patent-pending compound hinge system allows the lids to swing out 270° and rest along the sides of the case or easily removed and reinstalled in seconds.
- Front and rear doors are fitted with rubber gaskets for water resistant protection.
- Recessed heavy-duty twist latches allow these cases to meet most ATA and military specifications.
- Stacks securely with wheels on or off and this revolutionary design also allows for both lids to open completely while cases are stacked.
- All sizes come standard with 8 each HM-245 elastomeric, high damping, wide temperature range shock mounts with a load range of 40 to 150 lbs.
- Additional or stiffer shock mounts may be ordered from the factory and are easily field-installed (call for details & availability).
- Standard high quality slide-in/out locking swivel 4" casters rated at 1,200 lbs.
- Automatic ambient pressure equalization valve (MIL-STD-648C)
- Black powder coated stainless steel key-lockable latches.
- Comfortable, spring-loaded, rubber over-molded handles.

3SKB-R906U30

Standard dimensions -
front to rear rail: 30"

Part #	Rack Units	Height	Lid Depth
3SKB-R904U30	4 space	7"	4-1/2"
3SKB-R906U30	6 space	10-1/2"	4-1/2"
3SKB-R908U30	8 space	14"	4-1/2"
3SKB-R910U30	10 space	17-1/2"	4-1/2"

SKB Compound hinge technology allows 270° door swing range even when cases are in a stacked position.



elastomers



relief valves



www.skbcases.com

Authorized Supplier / 국내 공식공급원

NEXTURECOM

T 070 8774 7450 M 010 6210 1385 E hcyoo@nexturecom.com



US RACKS



"Million Mile Warranty"

YOU BREAK IT. . . WE REPLACE IT, FOR FREE, FOR LIFE !

**19" ULTIMATE STRENGTH
STACKING RACKMOUNT SYSTEM**



All Standard depths - front to rear rail: 17"
Each lid is 2" deep

AVAILABLE SIZES :

Part #	Rack Units	Height
1SKB-R4	4 space	7" High
1SKB-R6	6 space	10-1/2" High
1SKB-R8	8 space	14" High
1SKB-R10	10 space	17-1/2" High
1SKB-R12	12 space	21" High

SKB ROTO MOLDED 19" RACKS

FEATURES INCLUDE :

- roto molded tuff shell
- recessed heavy-duty twist latches
- molded-in unbendable valance
- solid stackability
- steel threaded front rails are factory installed
- rear rails can be customer installed at any time
- all rails are replaceable - kits sold separately

SUGGESTED APPLICATIONS :

- rackable mixers and amplifiers
 - recording and playback equipment
 - rackable pullout drawers and shelves
- ref- 1SKB-DRWR-4 and 1SKB-VS1

Easily installed rear rail kits
are available for all US Racks:
1SKB-RRK4, RRK6, RRK8, RRK10, RRK12
1SKB-1904 Caster Kit is also available.



1SKB-R8 - 8 space rack
pictured with both front
and rear lids removed.



www.skbcases.com

Authorized Supplier / 국내 공식공급원

NEXTURECOM

T 070 8774 7450 M 010 6210 1385 E hcyoo@nexturecom.com



"Million Mile Warranty"

YOU BREAK IT. . . WE REPLACE IT, FOR FREE, FOR LIFE !



ROTO-X SERIES

SHIPPING CONTAINERS
available in over
20 stock sizes



3SKB-CAST
Removable, lockable
swivel caster kit



****** Caster kit is sold separately
for all Roto-X cases with appropriate
recesses for mounting except the
3SKB-X4530-24 which includes
casters as standard equipment.

***These Roto-X sizes do not have
recesses for wheel attachment.
Note: all measurements are interior
dimensions. Tolerance $\pm .25"$**

ROTO-X

FEATURES INCLUDE :

- Rotationally molded for maximum strength and impact resistance.
- Stack securely for efficient transport and storage.
- Spring loaded 90° lifting handles.
- Available heavy-duty removable, lockable swivel caster kits.
- Heavy-duty twist latches will accommodate padlocks.

SUGGESTED APPLICATIONS :

- Heavy equipment transport.
- Machine parts and military gear.
- Boat gear, fishing equipment.
- Fire, rescue and first aid equipment.

Part number	Description	L x W x H	lid / base
*3SKB-X1814-12	TOOL CASE	18"X14"X12"	3" / 9"
*3SKB-X1818-10	TOOL CASE	18"X18"X10"	5" / 5"
*3SKB-X1818-14	TOOL CASE	18"X18"X14"	4-1/2" / 9-1/2"
*3SKB-X1818-18	SQUARE	18"X18"X18"	4" / 14"
3SKB-X2318-16	FT LOCKER	23"X18"X16"	3" / 13"
3SKB-X2415-10	TOOL CASE	24"X15"X10-1/2"	5-1/4" / 5-1/4"
3SKB-X2424-14	SQUARE	24"X24"X14"	3" / 11"
3SKB-X2424-18	SQUARE	24"X24"X18"	3" / 15"
3SKB-X2424-22	SQUARE	24"X24"X22"	7" / 15"
3SKB-X2513-16	FT LOCKER	25-1/4"X12-3/4"X16"	4" / 12"
3SKB-X2624-32	FT LOCKER	26"X24"X32"	12" / 20"
3SKB-X2719-10	TOOL CASE	27"X19"X10"	5" / 5"
3SKB-X2828-22	SQUARE	28"X28"X22"	8" / 14"
3SKB-X2915-14	FT LOCKER	29"X15"X14"	3" / 11"
3SKB-X3226-30	FT LOCKER	32"X26"X30"	8" / 22"
3SKB-X3426-16	FT LOCKER	34"X26"X16"	3" / 13"
3SKB-X3518-15	FT LOCKER	35"X18"X15"	5" / 10"
3SKB-X3722-21	FT LOCKER	37-1/4"X21-3/4"X21 3/4"	6-1/2" / 15-1/4"
** 3SKB-X4530-24	FT LOCKER	43-1/4"X28-1/4"X21-3/4"	3-1/4" / 18-1/2"
3SKB-X5026-16	FT LOCKER	50"X26"X16"	3" / 13"
3SKB-X5030-24	FT LOCKER	50"X30"X24"	4" / 20"
3SKB-CAST	CASTER KIT	set of 4	



www.skbcases.com

Authorized Supplier / 국내 공식공급원

NEXTURECOM

T 070 8774 7450 M 010 6210 1385 E hcyoo@nexturecom.com



"Million Mile Warranty"

YOU BREAK IT. . WE REPLACE IT, FOR FREE, FOR LIFE !



MR SERIES

TRANSPORT CONTAINERS WITH RETRACTABLE HANDLES AND WHEELS



Durable quiet-glide
wheel system.

Heavy-duty
pull handle
system.



Molded-in
bumper systems
are designed
to protect
hardware



metal,
telescoping
style handle
pictured here
is used on these
case sizes.

FEATURES INCLUDE :

- Case shells are molded of durable, impact resistant high density polyethylene.
- Convenient retractable pull-handle.
- Quiet, durable roller-blade style wheels.
- Molded-in protective bumpers protect hardware.
- Heavy-duty latch system
- Comfortable, spring loaded side handles.

Now available in 14 stock sizes.

	Dimensions	l x w x h	Lid	Base
3SKB-1413MR	14-1/2" X 13-1/8" X 7-5/8"		2-1/8"	5-1/2"
3SKB-1812MR	18-3/8" X 12-1/8" X 7-3/4"		2-5/8"	5-1/8"
3SKB-1818MR	18" X 18" X 13"		5"	8"
3SKB-1913MR	19" X 13-3/8" X 8-5/8"		3-1/4"	5-3/8"
3SKB-1914MR	19-3/8" X 14" X 10"		4"	6"
3SKB-1916MR	19" X 16" X 10"		4"	6"
3SKB-2114MR	21-3/8" X 14-1/4" X 8-7/8"		3-1/2"	5-3/8"
3SKB-2218PR	22" X 18" X 8"		3-1/2"	4-1/2"
3SKB-2417MR	24" X 17" X 14-1/2"		5-1/4"	9-1/4"
3SKB-2523MR	25" X 23" X 14"		6"	8"
3SKB-2921MR	29" X 21-1/2" X 17"		8"	9"
3SKB-3025MR	30" X 25" X 15"		7-1/2"	7-1/2"
3SKB-3426MR	34" X 26" X 18-3/4"		7-3/4"	11"
3SKB-3621MR	36-1/2" X 21-1/2" X 18-1/4"		7-1/4"	11"



www.skbcases.com

Authorized Supplier / 국내 공식공급원

NEXTURECOM

T 070 8774 7450 M 010 6210 1385 E hcyoo@nexturecom.com



"Million Mile Warranty"

YOU BREAK IT. . . WE REPLACE IT, FOR FREE, FOR LIFE !



MP SERIES

MILITARY STYLE SHIPPING CONTAINERS

*All case hardware is
protected by corner
bumpers, designed
for impact defense.*



*Spring-loaded side
handles with 90° stops
for efficient transport.*



*Heavy-duty twist latch system
and padlock loops mounted to
military tough "L" valance, designed
for precise and reliable closure.*



FEATURES INCLUDE :

- gasketed, heavy-duty "L" valance insures secure closure
- resistant to UV, solvents, corrosion, fungus and impact damage.
- molded-in protective bumpers
- heavy-duty twist latch system
- comfortable, spring loaded side handles
- cases stack securely and accommodate padlocks

Custom Colors available on special order

MAXIMUM PROTECTION CASES

Military-style shipping containers.

AVAILABLE IN SEVEN SIZES

Dimensions	l x w x h	Lid	Base
3SKB-1212M	12" x 12" x 8"	3-3/4"	4-1/4"
3SKB-1616M	16" x 16" x 13"	5"	8"
3SKB-1814M	18" x 14-7/8" x 9-1/2"	4-1/2"	5"
3SKB-2218M	22" x 18" x 9-5/8"	5"	4-5/8"
3SKB-2421M	24" x 21" x 9"	4"	5"
3SKB-2825M	27-3/4" x 25-3/4" x 18"	9"	9"
3SKB-3018M	30-1/4" x 19-1/4" x 17-1/2"	8"	9-1/2"



www.skbcases.com

Authorized Supplier / 국내 공식공급원

NEXTURECOM

T 070 8774 7450 M 010 6210 1385 E hcyoo@nexturecom.com



"Million Mile Warranty"

YOU BREAK IT... WE REPLACE IT, FOR FREE, FOR LIFE!

This SKB line of heavy-duty parallel rib cases offers sleek, contemporary styling, consistently fine craftsmanship and unequalled durability. Ultra High Molecular Weight Polyethylene, resistant to oils, fuels, solvents and acids can withstand temperatures from -80 F to 185F and provides maximum impact strength.



SKB can modify any standard case for a specific product or purpose. Custom colors, molded-in logos, custom inserts, custom hardware, locks, valances and more.

Call our experienced customer service representatives with any questions.



LS SERIES

LUGGAGE-STYLE CARRYING CASES WITH HORIZONTAL RIB DESIGN

case number	dimensions Lcw	lid depth	base depth
IN-STOCK SIZES - AVAILABLE FOR EXPEDIENT DELIVERY			
9P1108-01	11-1/4" x 8-3/8"	2"	3"
9P1410-01	14-3/8" x 10-3/8"	2-1/2"	3-1/2"
9P1410-02	14-3/8" x 10-3/8"	3"	9"
9P1712-01	17-3/8" x 12-3/8"	2"	2-1/2"
9P1712-02	17-3/8" x 12-3/8"	2 1/2"	3-1/2"
9P1912-01	19" x 12-3/8"	2-1/2"	3"
9P2012-01	20-3/8" x 12-3/8"	2-3/4"	3-3/4"
9P2014-01	20-3/8" x 14"	3"	4"
9P2016-01	20-3/8" x 16-3/8"	3"	4-1/2"
9P2218-01	22" x 18"	3-1/2"	4-1/2"
9P2517-01	25-3/8" x 17-3/8"	4-1/4"	4-3/4"
9P2520-01	25-5/8" x 20-3/4"	4-1/4"	4-3/4"

CUSTOM SIZES - MINIMUM QUANTITIES APPLY - CALL FOR QUOTE

1108P	11-1/4" x 8-3/8"	4-1/2"	2"
1108N	11-1/2" x 8-1/2"	6-1/4"	2"
1209N	12" x 9"	4-1/4"	2"
1212N	11-7/8" x 11-7/8"	4-1/2"	2"
1307N	13-1/4" x 7-1/4"	3"	2"
1308N	13-3/8" x 8-1/8"	6"	2"
1309N	13-3/8" x 9-7/8"	7"	2"
1409N	14-1/2" x 9"	4-1/4"	2"
1410P	14-3/8" x 10-3/8"	9-1/2"	2"
1413N	14" x 13-3/8"	6"	2"
1511N	14-5/8" x 10-5/8"	1-12"	1-1/2"
1610N	16-1/4" x 10"	3"	1-1/2"
1611P	16-1/4" x 11"	4-1/2"	2"
1611N	16-1/4" x 11-3/8"	3"	1-1/2"
1613P	16-5/8" x 13-3/8"	4-1/2"	2"
1712P	17-3/8" x 12-3/8"	4-1/2"	2"
1809N	18" x 9"	6"	2"
1909N	19-1/8" x 9-1/8"	6"	2"
1912P	19" x 12-3/8"	4-1/2"	2"
1913N	19-1/4" x 13-7/8"	5"	2"
1914P	19-3/8" x 13-3/4"	6"	2"
1915N	19-3/8" x 15"	7"	2"
2010N	20-1/2" x 10"	11"	2"
2011P	20-3/4" x 11-1/2"	4-1/2"	2"
2011N	20-5/8" x 11-5/8"	5"	2"
2012P	20-3/8" x 12-3/8"	4-1/2"	2"
2013N	20-1/4" x 13-3/4"	3-1/2"	2"
2014P	20-3/8" x 14"	4-1/2"	2"
2016P	20-3/8" x 16-3/8"	4-1/2"	2"
2115P	21-1/2" x 15-3/8"	4-1/2"	2"
2214N	22-1/4" x 14"	3-1/2"	2"
2218P	22" x 18"	4-1/2"	2"
2314P	23-1/2" x 14-3/4"	5"	2"
2407N	23-3/4" x 7"	6"	2"
2419N	24-1/4" x 19-1/4"	3-1/2"	1-1/2"
2516P	25" x 16-1/2"	5-1/2"	2"
2517P	25-3/8" x 17-3/8"	4-3/4"	2"
2520P	25-5/8" x 20-3/4"	4-3/4"	2"
2714N	27" x 14"	2-1/2"	2"
2717N	27-3/4" x 17-1/4"	9-1/2"	2"
2906N	29-3/4" x 6-3/4"	4-1/2"	2"
2912N	28-3/4" x 11-3/4"	4-1/2"	2"
3121N	31-1/4" x 21-1/2"	7-1/2"	2"
3515S	35-1/8" x 15-1/4"	5-1/4"	2"
3618P	36-1/2" x 18-1/2"	7-1/2"	2"
3725N	37" x 25"	9-1/4"	2"
4209N	42-3/8" x 9-1/4"	5"	2"
5017P	50-3/8" x 17-3/8"	7-1/2"	2"
7210S	72-3/8" x 10"	3"	2"
7219S	72-3/8" x 19-1/4"	3"	2"

NOTES: All measurements reflect interior dimensions.
Dimensional tolerance on "LS Series" cases is .25"



www.skbcases.com

Authorized Supplier / 국내 공식공급원

NEXTURECOM

T 070 8774 7450 M 010 6210 1385 E hcyoo@nexturecom.com



"Million Mile Warranty"

YOU BREAK IT. . WE REPLACE IT, FOR FREE, FOR LIFE !



LP SERIES

LOW PROFILE ATA TRANSPORT CASES WITH WHEELS

- Heavy duty built-in wheels and durable spring-loaded end handles deliver effortless mobility.
- Prominent bumpers protect gasketed aluminum valance at every critical impact point.

	Dimensions l x w x h	Lid	Base
3SKB-4212W	42" x 11-3/4" x 6"	3"	3"
3SKB-4316W	43-1/2" x 16" x 6"	3"	3"
3SKB-5211W	52" x 11-3/4" x 6"	3"	3"
3SKB-5216W	52-1/4" x 16-1/2" x 6"	3"	3"
3SKB-6019W	60-1/4" x 19-1/4" x 6"	3"	3"
3SKB-6022W	60-1/4" x 22-1/4" x 6"	3"	3"
3SKB-6323W	63" x 23" x 10-1/4"	5-1/8"	5-1/8"

UNIVERSAL LOW PROFILE CASES W/VELCRO LINER AND 4 PATENTED RE-POSITIONABLE CORNERS

	Dimensions l x w x h	Lid	Base
1SKB-3026	29" x 26" x 8 1/2"	4"	4-1/4"
1SKB-3423	34-1/2" x 22-3/4" x 9"	5-1/2"	3-1/2"
1SKB-4031	40" x 31" x 9-1/2"	4-3/4"	4-3/4"



RAIL-PACK UTILITY CASES

	Dimensions l x w x h
1SKB-H3611W	36-3/4" X 12" X 8-1/4"
1SKB-H4810W	47-1/8" X 9-7/8" X 9-3/8"
1SKB-H4812W	48-1/8" X 11-1/4" X 11"5" 6"
1SKB-H4816W	48-1/4" X 16" X 12-3/8"
1SKB-H5020W	49-3/4" X 20" X 13-3/4"

These cases feature built-in wheels.



www.skbcases.com

Authorized Supplier / 국내 공식공급원

NEXTURECOM

T 070 8774 7450 M 010 6210 1385 E hcyoo@nexturecom.com



"Million Mile Warranty"

YOU BREAK IT. . . WE REPLACE IT, FOR FREE, FOR LIFE !



LCD TRANSPORT

ROTO MOLDED LCD SCREEN CASES



3SKB-2026

20" to 26" Screens

includes two over-molded end handles

3SKB-3237

32" to 37" Screens

includes one over-molded tow handle on each end and two over-molded lifting handles on each side



LCD MONITOR TRANSPORT SOLUTION



The 3SKB-2026 LCD Screen Case and 3SKB-3237 LCD Screen Case are rotationally molded of LLDPE Polyethylene for strength and durability. The interiors are designed to hold LCD screens in the desirable upright position with a universal interior foam padding system designed to configure easily for customized protection. SKB LCD Screen Cases offers superb quality and construction and are guaranteed for life.

FEATURES INCLUDE :

- Holds LCD screens in desirable upright position
- Universal 2" thick foam padding system for easy configuration
- (4) Convuluted foam pieces for side to side protection
- (2) Adjustable convuluted foam pieces for perfect fit top to bottom
- Corner wheels for tilting and easy transport
- Rotationally molded of LLDPE Polyethylene for strength and durability
- Comfortable and durable rubber over-molded handles
- Weather resistant gasketed tongue and groove valance for moisture protection
- Heavy duty twist latches with one padlockable latch on each side
- Can be shipped standard UPS or Fed X



Cases will hold screens with stands for most models on the market.



www.skbcases.com

Authorized Supplier / 국내 공식공급원

NEXTURECOM

T 070 8774 7450 M 010 6210 1385 E hcyoo@nexturecom.com



"Million Mile Warranty"

YOU BREAK IT. . WE REPLACE IT, FOR FREE, FOR LIFE !



SCREEN TRANSPORT

3SKB-4250 PLASMA MONITOR CASE

Pull-out
caster
storage
bin.





PLASMA MONITOR TRANSPORT SOLUTION

FEATURES INCLUDE :

- Fits 42" and 50" plasma screens.
- Rotationally molded for maximum impact resistance.
- Built-in tilt back wheels for convenient mobility.
- Spring loaded 90° lifting handles.
- Heavy-duty removable (slide-out) locking swivel casters.
- Pull-out caster storage bin.
- Heavy-duty twist latches.
- Over 20 different inserts available to fit most screens.

TEST RESULTS :

- Independent laboratory testing has been conducted to ascertain specific data relating to impact resistance. Controlled tests were performed to determine "G" forces applied to screens dropped from various heights. A front face "tip-over" drop (the most likely and potentially catastrophic transport accident) results in a total G-force impact of only 17.17. Detailed test results can be found at www.skbcases.com



www.skbcases.com

Authorized Supplier / 국내 공식공급원

NEXTURECOM

T 070 8774 7450 M 010 6210 1385 E hcyoo@nexturecom.com



i series

INDESTRUCTIBLE

Authorized Supplier / 국내 공식공급사

NEXTURECOM

T 070 8774 7450 M 010 6210 1385 E hcyoo@nexturecom.com



OUR STORY



Pictured above in the early days from left to right:
SKB Owners/Founders - Dave Sanderson and Steve Kottman

In 1977, the first SKB case was manufactured in a small Anaheim, California garage. Today SKB engineers cases for hundreds of companies involved in many diverse industries as well as military applications. We have a true sense of accomplishment for more than 33 years of steady growth and for our adherence to quality standards that made us industry leaders. We never lose sight of the fact that our customers give us the opportunity to excel and their challenges allow us to develop and grow. We are grateful for their trust and loyalty and we remain dedicated to the assurance that every case with a SKB logo has been manufactured with an unconditional commitment to unsurpassed quality.





When keyed latches are not appropriate for the application, we also offer TSA accepted pad locks that can be used on the iSeries, or any SKB case that includes lock hasps.



When it comes to rapid-deployment, nobody beats the "Trigger Latch™"! The smartest latch in the case business stays closed — until you want it open. And then it's a one-finger operation. Fast and knuckle friendly. Molded out of unbreakable glass-reinforced Nylon. We even have key locking versions available that are TSA accepted.

SKB's iSeries cases have been designed and engineered to meet the most stringent standards such as: STANAG 4280, DEF-STAN 81-41, MIL-STD-810F, MIL-STD-2073, MIL-STD-C-4150J, ATA 300 and many others.



INFRASTRUCTURE



SUPERIOR INTERIORS: No other case company on the Planet has the in-house foam/interior fabrication capabilities that SKB has. From our molded EPS presses in Mexicali, Mexico, to our state-of-the-art water-jet in Orange, California — we can do all of the foam processes, with all of the materials in-house.

When we made the decision to enter the large injection molded case business, we knew we had to have the best machinery in the World — and we searched the World to find it. The result: The most modern and efficient large injection molder in the U.S. 1300 tons of clamp pressure, a 25lb. shot capacity, with robotic part extraction and capable of handling 30,000 lb. + tools. As for new technology, our servo controlled hydraulic pumps run only when needed which saves an incredible 65% on electricity! Our “repetitive pack” shot technology does away with the use of “blowing agents” in our plastic which eliminates that “swirl look.”

i series

Watertight/dust proof design using tongue & groove construction and a replaceable o-ring seal to achieve an IP-67 rated protective case.

Ultimate impact strength polypropylene co-polymer provides unsurpassed protection and is lighter while being multiple times stronger than the competition.

Automatic ambient pressure equalization valve allows case to “Free Breathe” and equalize pressures caused by altitude or temperature change while keeping water molecules out, even when submersed.

Extra wide lift/carry handle for comfortable balance/2 hand lift.

Patented “Trigger Latches” stay closed until you want them opened. Key locking “TSA” accepted versions are available.

Secure interlocking features ensure stable stacking on uneven surfaces.

Reinforced padlock hasps allow the use of standard size padlocks for added security. SKB TSA accepted padlocks are an available accessory.

Flush snap-down overmolded handle for 2 man lift on large or long cases. Cushion grip overmold material reduces hand fatigue.

Quiet glide polyurethane in-line skate style wheels with factory lubricated sealed ball bearings ensure smooth trouble free movement.

OD Green



Desert Tan



Safety Yellow



Safety Orange



Grey



Custom colors, Special options, and interiors are available, contact any SKB Team Member for details.



I series

SKB Industrial Division innovates and manufactures indestructible cases and racks for industry and the military. We never lose sight of the fact that our customers give us the opportunity to excel and their challenges allow us to develop and grow. Our Industrial Cases, Shipping Cases, Waterproof Cases, MIL-STD Cases and Racks are unsurpassed in quality. Trust your valuable cargo to the World's most recognized and respected transport system manufacturer - SKB CASES.

With 17 case sizes and counting, we are the NEW industry leader in product design, customer service, and support.



Automatic ambient pressure equalization valve.

Flush snap-down rubber overmolded handle.



3i-0907-4

INSIDE L x W x H	LID DEPTH	BASE DEPTH
9.50" x 7.38" x 4.13"	1.19"	2.94"

SUGGESTED APPLICATIONS:

- Satellite phones
- Hard drives
- Digital video recorders



3i-0907-6

INSIDE L x W x H	LID DEPTH	BASE DEPTH
9.38" x 7.38" x 6.13"	1.19"	4.94"

SUGGESTED APPLICATIONS:

- Digital SLR camera gear
- Marine and aviation radios
- Multiple microphones

INDESTRUCTIBLE



3i-1209-4

INSIDE L x W x H	LID DEPTH	BASE DEPTH
12" x 9" x 4.50"	1.50"	3"

SUGGESTED APPLICATIONS:

- Electronic test meters
- GPS systems
- Digital recorders



3i-1610-5

INSIDE L x W x H	LID DEPTH	BASE DEPTH
16" x 10" x 5.50"	2"	3.50"

SUGGESTED APPLICATIONS:

- Communications gear
- EPIRB emergency locators
- Night vision equipment
- Binoculars



3i-1711-6

INSIDE L x W x H	LID DEPTH	BASE DEPTH
17" x 11.50" x 6"	1.75"	4.25"

SUGGESTED APPLICATIONS:

- Pistols — Hand weapons
- Signal processors
- Test & Calibration equipment
- Sensitive optics



3i-1813



i series



3i-1813-5

MIL-STANDARD, SUBMERSIBLE, MULTI-FUNCTIONAL
TRANSPORT SERIES.



3i-1813-5

INSIDE L x W x H	LID DEPTH	BASE DEPTH
18.50" x 13" x 4.75"	1.50"	3.25"

SUGGESTED APPLICATIONS:

- Multiple radios
- Portable video surveillance systems
- Laptop computers
- Wireless microphone systems



3i-1813-7

INSIDE L x W x H	LID DEPTH	BASE DEPTH
18.50" x 13" x 7"	1.50"	5.50"

SUGGESTED APPLICATIONS:

- Portable defibrillators
- Crime scene evidence kits
- Portable secure communications equipment
- Personal first aid supplies



3i-1914-8

INSIDE L x W x H	LID DEPTH	BASE DEPTH
19" x 14.38" x 8"	2"	6"

SUGGESTED APPLICATIONS:

- Video camera & gear
- Technician tool kits
- Cables/grip supplies/tools



3i-5014-6

i series





3i-4214-5

INSIDE L x W x H	LID DEPTH	BASE DEPTH
42.50" x 14.50" x 5.50"	1.50"	4"

SUGGESTED APPLICATIONS:

- Military weapons and gear
- Communication antennas
- Electric guitars*
- Hunting/competition parallel limb and recurve bows

*MODEL 4214-66 PICTURED: visit www.skbcases/music for details



Custom interiors available. Challenge us with your requirements.

3i-5014-6

INSIDE L x W x H	LID DEPTH	BASE DEPTH
50.50" x 14.50" x 6"	1.50"	4.50"

SUGGESTED APPLICATIONS:

- Oil industry down hole tools & instruments
- Hunting / competition rifles
- Bass guitars*
- Electronic keyboards/synthesizers





3i-2011



i series



3i-2011-8

MIL-STANDARD, SUBMERSIBLE, MULTI-FUNCTIONAL
TRANSPORT SERIES.



3i-2011-7

INSIDE L x W x H	LID DEPTH	BASE DEPTH
20.38" x 11.44" x 7.50"	2"	5.50"

SUGGESTED APPLICATIONS:

- Effects pedals
- Projectors and presentation equipment
- Camera gear

Our Co-polymer Polypropylene shell material was independently lab tested utilizing “notched izod” impact testing (ASTM D256-05a) and shown to be over 2½ times stronger than the competition. This enables us to make a Lighter, Stronger and Smarter case! — <http://ftp.skbcases.com/Test Results/>



3i-2011-8

INSIDE L x W x H	LID DEPTH	BASE DEPTH
20.38" x 11.44" x 8.25"	2"	6.25"

SUGGESTED APPLICATIONS:

- Multiple microphones
- Medical devices and equipment
- Microscopes
- Communication repeaters



3i-2015



series



3i-2015-10

MIL-STANDARD, SUBMERSIBLE, MULTI-FUNCTIONAL
TRANSPORT SERIES.



Our “Million Mile Warranty” guarantees that if you break it—we replace it for free—for life! — www.skbcases.com/warranty



3i-2015-7

INSIDE L x W x H	LID DEPTH	BASE DEPTH
20.50" x 15.50" x 7"	2"	5.50"

SUGGESTED APPLICATIONS:

- Infrared digital imaging equipment
- DJ gear
- Audio mixers
- Gas detection monitors

3i-2015-10

INSIDE L x W x H	LID DEPTH	BASE DEPTH
20.50" x 15.50" x 10"	2"	8"

SUGGESTED APPLICATIONS:

- Racing telemetry stations
- Big game fishing reels and tackle
- Telescopes
- Mapping equipment



3i-2217-8

INSIDE L x W x H	LID DEPTH	BASE DEPTH
22" x 17" x 8"	2"	6"

SUGGESTED APPLICATIONS:

- Search and rescue gear
- Military lighting
- Monitors
- Portable power systems

Our “repetitive pack” shot technology does away with the use of “blowing agents” in our plastic which eliminates that “swirl look.”



3i-2317-14

INSIDE L x W x H	LID DEPTH	BASE DEPTH
23" x 17" x 14"	2.50"	11.50"

SUGGESTED APPLICATIONS:

- Multiple laptops
- Power tool and accessories
- Survey equipment
- Robotic gear and controllers



3i-2918-14

INSIDE L x W x H	LID DEPTH	BASE DEPTH
29" x 18" x 14"	2.50"	11.50"

SUGGESTED APPLICATIONS:

- Emergency preparedness kits
- SCUBA gear
- Military foot lockers
- Stage lighting

i series

CASE SPECIFICATIONS & FEATURES

PART#	INSIDE L x W x H	LID DEPTH	BASE DEPTH	PULL HANDLE/WHEELS	DIVIDERS	CUBED	LAYERED
3i-0907-4	9.50" x 7.38" x 4.13"	1.19"	2.94"		X	X	X
3i-0907-6	9.38" x 7.38" x 6.13"	1.19"	4.94"		X	X	X
3i-1209-4	12" x 9" x 4.50"	1.50"	3"		X	X	X
3i-1610-5	16" x 10" x 5.50"	2"	3.50"		X	X	X
3i-1711-6	17" x 11.50" x 6"	1.75"	4.25"		X	X	X
3i-1813-5	18.50" x 13" x 4.75"	1.50"	3.25"		X	X	X
3i-1813-7	18.50" x 13" x 7"	1.50"	5.50"		X	X	
3i-1914-8	19" x 14.38" x 8"	2"	6"	X	X	X	X
3i-2011-7	20.38" x 11.44" x 7.50"	2"	5.50"	X	X	X	
3i-2011-8	20.38" x 11.44" x 8.25"	2"	6.25"		X	X	
3i-2015-7	20.50" x 15.50" x 7.50"	2"	5.50"		X	X	
3i-2015-10	20.50" x 15.50" x 10"	2"	8"	X	X	X	
3i-2217-8	22" x 17" x 8"	2"	6"		X	X	
3i-2317-14	23" x 17" x 14"	2.50"	11.50"	X		X	
3i-2918-14	29" x 18" x 14"	2.50"	11.50"	X		X	
3i-4214-5	42.50" x 14.50" x 5.50"	1.50"	4"	X			X
3i-5014-6	50.50" x 14.50" x 6"	1.50"	4.50"	X			X



CUSTOM FOAM SHOP

INSPIRED BY THE 'OL SPEED SHOPS OF THE 60'S.



In addition to Cubed foam, layered foam and padded dividers, SKB now offers custom foam interiors. Our Water Jet foam cutting machine uses a CNC controlled 40,000 psi stream of water to cut through foam like butter. Using water as

the "blade" provides the capabilities of cutting very precisely while not damaging the foam. It is also very efficient for prototyping and creating "one-off" cases. These capabilities provide a custom fit for your gear and ensures maximum protection.



17 SIZES and COUNTING.

3i-0907-4

3i-0907-6

3i-1209-4

3i-1610-5

3i-1711-6

3i-1813-5

3i-1813-7

3i-1914-8

3i-2011-7

3i-2011-8

3i-2015-7

3i-2015-10

3i-2217-8

3i-2317-14

3i-2918-14

3i-4214-5

3i-5014-6

MADE IN USA

ORANGE COUNTY, CA

CORPORATE & MANUFACTURING HEADQUARTERS

434 W. Levers Place, Orange CA 92867
ph: 714.637.1252

www.skbcases.com



Authorized Supplier / 국내 공식공급사

NEXTURECOM

T 070 8774 7450 M 010 6210 1385 E hcyoo@nexturecom.com